Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TREASURY DEPARTMENT

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE UNITED STATES
PUBLIC HEALTH SERVICE

VOLUME 35 :: :: NUMBER 26

JUNE 25 - - - 1920

SPECIAL ARTICLES

Psychiatric Studies of Delinquents

Delay in Shipment of Materials Used in Water Purification

The Principal Causes of Death Compared

WASHINGTON
GOVERNMENT PRINTING OFFICE
1920

UNITED STATES PUBLIC HEALTH SERVICE.

HUGH S. CUMMING, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

ASST. SURG. GEN. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of typhus fever, cholera, plague, yellow fever, smallpox, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

The Public Health Service is unable to supply the demand for bound copies of the PUBLIC HEALTH REPORTS. Librarians and others receiving the PUBLIC HEALTH REPORTS regularly should preserve them for binding, as it is not practicable to furnish bound copies on individual requests.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2 PER YEAR

CONTENTS.

Page.

Psychiatric studies of delinquents—Part III. Social and environmental factors in the moral delinquency of girls committed to the Kansas State Industrial Farm 1501
Delay in shipment of materials used in the purification of water supplies 1536
The principal causes of death compared—A comparison, by color, of the death rates per 100,000 years of life exposed, for the first quarters of 1918, 1919, and 1920 1538
Deaths during week ended June 12, 1920:
In certain large cities of the United States 1539
Death claims reported by insurance companies 1539

PREVALENCE OF DISEASE.

United States:
Current State summaries—
Telegraphic reports for week ended June 19, 1920 1540
Kentucky report for week ended June 12, 1920 1543
Summary of cases reported monthly by States 1543
Anthrax—New York—May, 1920 1543
Cerebrospinal meningitis—
State reports for May, 1920 1544
City reports for week ended June 5, 1920 1544
Influenza—
Maryland and Wisconsin reports for May, 1920 1544
City reports for week ended June 5, 1920 1545
Lethargic encephalitis—California, Maryland, New Jersey, New York, and Oregon 1545
Malaria—
Louisiana and Maryland reports for May, 1920 1545
City reports for week ended June 5, 1920 1545
Pellagra—
Louisiana and Maryland reports for May, 1920 1546
City reports for week ended June 5, 1920 1546
Plague—
Galveston, Tex.—Human plague 1546
Pensacola, Fla.—Human plague 1546
California—Rodent plague 1546
Pneumonia (all forms)—City reports for week ended June 5, 1920 1547
Poliomyelitis (infantile paralysis)—
State reports for May, 1920 1548
City reports for week ended June 5, 1920 1548
Rabies in animals—Dallas, Tex., and Tuscaloosa, Ala 1548
Rocky Mountain spotted or tick fever—Missoula, Mont 1548
Smallpox—
Maryland and New York reports for May, 1920—Vaccination histories. 1549
Louisiana, Vermont, and Wisconsin reports for May, 1920 1549
City reports for week ended June 5, 1920 1550
Tetanus—City reports for week ended June 5, 1920 1551

United States—Continued.
Typhoid fever— Page.
State reports for May, 1920 1551
City reports for week ended June 5, 1920 1552
Typhus fever—New York, N. Y.—May, 1920 1553
Diphtheria, measles, scarlet fever, and tuberculosis—City reports for week ended June 5, 1920 1553
Foreign and Insular:
China—Cholera—Chungking 1560
Cuba—Communicable diseases—Habana 1560
Turkey—Malaria—Samsoun 1560
Influenza—Reports received during week ended June 25, 1920 1560
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended June 25, 1920—
Cholera 1561
Plague 1561
Smallpox 1562
Typhus fever 1563
Reports received from December 27, 1919, to June 25, 1920—
Cholera 1563
Plague 1565
Smallpox 1566
Typhus fever 1571
Yellow fever 1573